

LAKEVIEW ACADEMY
OVER-THE-COUNTER AND EMERGENCY MEDICATION
STANDING ORDERS

Lakeview Academy may administer any of the medications listed below following recommendations for indications, interval and dosing when other weight-based orders are not provided. Contraindications between this document and package labeling shall be interpreted in favor of the packaging label. **The school nurse must** follow the individual Health care plan or Medication Authorization form on file for any medications on this list **or verbal** permission must be obtained from the student's parent or guardian **prior** to administration. The nurse may delegate and thereby, supervise the administration of medication, by unlicensed assistive personnel who are qualified by education knowledge and skill to administer medications under Utah State Law.

The school nurse is not obligated by this document to dispense medication where, in their professional judgment, such use would not be appropriate despite the indication listed.

The following medications may be used for the accompanying indications:

A. Diphenhydramine HCL Liquid 12.5mg/5ml (Benadryl or equivalent):

Insect stings, hives, rash and/or allergic reactions not severe enough for epinephrine. The dosage to be administered every 4-6 hours as follows:

Age	Weight (pounds)	Dose (ML)
2-5	—	Do not use
5-6	20-24	4
6-11	25-37	5
6-11	38-49	7.5
6-11	50-99	10

B. Diphenhydramine HCL tablet (Benadryl or equivalent):

Insect stings, hives, rash and/or allergic reactions not severe enough for epinephrine. The dosage to be administered every 4-6 hours as follows:

Age	Weight (pounds)	Dose (tablets)
Under 6	-	Do not use
6-12	25-37	1/2
6-12	38-49	1/2
6-12	50-99	1
12 +	100+	1-2

C. Naloxone 4mg/0.1mL intranasal for suspected opioid overdose, may repeat every 2 to 3 minutes in the alternate nostril if patient does not respond or response and relapses into respiratory depression, must call 911

D. Calcium Carbonate 750mg/tablet (Tums or equivalent) Give 2 tablets a day for indigestion for ages 12+

E. The following POCT's (point-of-care tests) may be administered:

1. Glucose (glucometer)

F. Hydrocortisone Cream 1% for small areas that have a rash or are itchy. Not to be given more than 2 times within school hours on a single day.

Lakeview Academy School Consult Physician

Date